

Table 1. Legally Relevant Criteria for Decision-Making Capacity and Approaches to Assessment of the Patient.

Criterion	Patient's Task	Physician's Assessment Approach	Questions for Clinical Assessment*	Comments
Communicate a choice	Clearly indicate preferred treatment option	Ask patient to indicate a treatment choice	Have you decided whether to follow your doctor's [or my] recommendation for treatment? Can you tell me what that decision is? [If no decision] What is making it hard for you to decide?	Frequent reversals of choice because of psychiatric or neurologic conditions may indicate lack of capacity
Understand the relevant information	Grasp the fundamental meaning of information communicated by physician	Encourage patient to paraphrase disclosed information regarding medical condition and treatment	Please tell me in your own words what your doctor [or I] told you about: The problem with your health now The recommended treatment The possible benefits and risks (or discomforts) of the treatment Any alternative treatments and their risks and benefits The risks and benefits of no treatment	Information to be understood includes nature of patient's condition, nature and purpose of proposed treatment, possible benefits and risks of that treatment, and alternative approaches (including no treatment) and their benefits and risks
Appreciate the situation and its consequences	Acknowledge medical condition and likely consequences of treatment options	Ask patient to describe views of medical condition, proposed treatment, and likely outcomes	What do you believe is wrong with your health now? Do you believe that you need some kind of treatment? What is treatment likely to do for you? What makes you believe it will have that effect? What do you believe will happen if you are not treated? Why do you think your doctor has [or I have] recommended this treatment?	Courts have recognized that patients who do not acknowledge their illnesses (often referred to as "lack of insight") cannot make valid decisions about treatment Delusions or pathologic levels of distortion or denial are the most common causes of impairment
Reason about treatment options	Engage in a rational process of manipulating the relevant information	Ask patient to compare treatment options and consequences and to offer reasons for selection of option	How did you decide to accept or reject the recommended treatment? What makes [chosen option] better than [alternative option]?	This criterion focuses on the process by which a decision is reached, not the outcome of the patient's choice, since patients have the right to make "unreasonable" choices

* Questions are adapted from Grisso and Appelbaum.³¹ Patients' responses to these questions need not be verbal.